




Please Note

The Above is a Selection of the Most Popular Straight Run Configurations.


These are Available Either Open Out or Open In.

The ● Configurations Can Also Be Supplied Opposite Hand.
Corner and Faceted Curved Options are Also Available


Description SF55
Thermally Broken Aluminium Folding Sliding Door
System Configuration Options

Detail SF55-00

No. System: SF55 B



OUTSIDE





INSIDE

Description Vertical Section – Connection
Top Track – Panel / Open In

Detail SF55–01



No. System: SF55

B



Description Vertical Section – Connection
Top Track With 35mm Extension And Trickle Vent –
Panel / Open In

Detail SF55–01TV
No.
System: SF55 B





Description Vertical Section – Connection
Top Track – Panel / Open Out

Detail SF55-02


No.
System: SF55

B




Description Vertical Section – Connection
Top Track With 35mm Extension And Trickle Vent –
Panel / Open Out

Detail SF55–02TV
No.
System: SF55 B



OUTSIDE




INSIDE

Description Vertical Section – Connection
Panel – Bottom Weathered Track / Open In


Detail SF55–03

No.
System: SF55

B



OUTSIDE




INSIDE

Description Vertical Section – Connection
Panel – Bottom Weathered Track / Open Out


Detail SF55–04

No.
System: SF55

B



OUTSIDE




INSIDE

Description Horizontal Section – Connection
Panel 3R – Panel 2R / Open Out


Detail SF55–10

No. SF55
System

B



OUTSIDE




INSIDE


Description Horizontal Section – Connection
Closing Jamb – Panel 3R / Open In

Detail SF55–06
No.
System: SF55

C



OUTSIDE




INSIDE

Description: Horizontal Section – Connection
Closing Jamb – Panel 3R / Open Out


Detail SF55–07

No.
System: SF55

B



OUTSIDE




INSIDE

Description Horizontal Section – Connection
Panel 1R – Hinge Jamb / Open In


Detail SF55–08

No. SF55
System

B



OUTSIDE




INSIDE

Description Horizontal Section – Connection
Panel 1R – Hinge Jamb / Open Out


Detail SF55–09

No.
System SF55

B



OUTSIDE





INSIDE

Description Horizontal Section – Connection
Panel 2R – Panel 1R / Open Out

Detail SF55–11

No.
System SF55

B



Note: Flush Track Reduces Weather Rating

Not Recommended for Exposed Locations

On External Flush Track Systems We Recommend External Floor Level (Unless Decking), is Laid with a Fall Away from the Track to Prevent Water Ingress



Description Vertical Section – Connection
Panel – Bottom Flush Track

Detail SF55–05

NO.
System: SF55

B

OUTSIDE



INSIDE




Tel: 01522 869 679
Email: info@parkfarmdesign.co.uk
www.parkfarmdesign.co.uk

Description Horizontal Section – Connection
Closing Jamb – Sliding Post – Panel 4R / Open In


Detail SF55-12

No. SF55
System

B



OUTSIDE




INSIDE




Tel: 01522 869 679
Email: info@parkfarmdesign.co.uk
www.parkfarmdesign.co.uk

Description: Horizontal Section – Connection
Closing Jamb – Sliding Post – Panel 4R / Open Out

Detail SF55-13
No. SF55
System B



OUTSIDE




Tel: 01522 869 679
Email: info@parkfarmdesign.co.uk
www.parkfarmdesign.co.uk


INSIDE

Description Horizontal Section – Connection
Panel 2L – Sliding Post – Sliding Post – Panel 2R
/ Open Out

Detail SF55-14
No. SF55
System B




OUTSIDE



Tel: 01522 869 679
Email: info@parkfarmdesign.co.uk
www.parkfarmdesign.co.uk

Description: Horizontal Section – Connection
Panel 2L – Sliding Post – Sliding Post – Panel 2R
/ Open In

Detail SF55-15
No. SF55
System B



OUTSIDE



SUNFLEX UK




**PARK FARM
DESIGN**
HIGH PERFORMANCE
DOORS & WINDOWS

Tel: 01522 869 679

Email: info@parkfarmdesign.co.uk

www.parkfarmdesign.co.uk




INSIDE

Description Horizontal Section – Connection
Panel 3L – Panel 3R / Open In
(M = 1st Opening Panel 3R)

Detail SF55–16

No.
System SF55

B



OUTSIDE



SUNFLEX UK




**PARK FARM
DESIGN**
HIGH PERFORMANCE
DOORS & WINDOWS

Tel: 01522 869 679

Email: info@parkfarmdesign.co.uk

www.parkfarmdesign.co.uk




INSIDE

Description Horizontal Section – Connection
Panel 3L – Panel 3R / Open Out
(M = 1st Opening Panel 3R)


Detail SF55-17

No.
System SF55

B



OUTSIDE



Tel: 01522 869 679

Email: info@parkfarmdesign.co.uk



www.parkfarmdesign.co.uk

Description Horizontal Section – Connection
Panel 2L – Sliding Post – Panel 3R / Open In
(M = 1st Opening Panel 3R)

Detail SF55-18




No. SF55

B



Description: Horizontal Section - Connection
Panel 2L - Sliding Post - Panel 3R / Open Out
(M = 1st Opening Panel 3R)

Detail SF55-19
No. SF55
System B




Description Thermally Broken Aluminium Sills – Size Options

Detail SF55–20


No.

System SF55


B




Option 1, Open Out
Weathered track




Option 3, Open Out Weathered track
on 155mm Thermally Broken Sill




Option 2, Open In Weathered
track



Option 4, Open In Weathered track on
155mm Thermally Broken Sill



Option 5, Flush track




Option 6, Flush track on
155mm Thermally Broken
Sill

Note: Flush Track Reduces Weather Rating
Not Recommended for Exposed
Locations

Description Vertical Section
Threshold Options – Flush Track

Detail SF55–22
No.
System SF55

B




Description Horizontal Section
Additional Profiles


Detail SF55-23

No.
System SF55

B



70mm Jamb



Transom / Mullion



Tel: 01522 869 679

Email: info@parkfarmdesign.co.uk

www.parkfarmdesign.co.uk

Description
Horizontal Section
Additional Profiles

Detail SF55-24

No.
System SF55

B



SUNFLEX UK




**PARK FARM
DESIGN**
HIGH PERFORMANCE
DOORS & WINDOWS


Tel: 01522 869 679

Email: info@parkfarmdesign.co.uk

www.parkfarmdesign.co.uk



90° Post




135° Post

Description Horizontal Section
Vertical Post Options

Detail SF55-25

No. SF55

B



NB: —

Required to be used on Door sets with Overlights when System Width Exceeds 3 M * in Exposed Locations or when System Width Exceeds 4 M * in Unexposed Locations

* This dimension may vary according to the depth of the Overlights

Description Vertical Section

Overlight — Strengthening Profile — Top Track

Detail SF55—26

No.

System SF55

B



SUNFLEX UK




**PARK FARM
DESIGN**
HIGH PERFORMANCE
DOORS & WINDOWS

Tel: 01522 869 679

Email: info@parkfarmdesign.co.uk

www.parkfarmdesign.co.uk



Face Fixed
Strengthening Profile

NB: —

Required to be used on Door sets with Overlights In
Unexposed Locations when System Width Exceeds 2.5, upto a
Maximum of 4 M *

* This dimension may vary according to the depth of the
Overlight
Description
Overlight — Top Track with Additional Face Fixed
Strengthening Profile


Detail SF55-27
No.
System SF55

B



SUNFLEX UK

Fixed 90° Post with
Open Out Panels




**PARK FARM
DESIGN**
HIGH PERFORMANCE
DOORS & WINDOWS

Tel: 01522 869 679

Email: info@parkfarmdesign.co.uk

www.parkfarmdesign.co.uk




Fixed 90° Post with
Open In Panels


Description
Horizontal Section
Typical Fixed 90° Post Examples

Detail SF55-28
No.
System SF55

B



Fixed 135° Post with
Open Out Panels




Fixed 135° Post with
Open In Panels


Description Horizontal Section
Typical Fixed 135° Post Examples

Detail SF55-29
No.
System SF55

B



Fixed 90° Post with
Fixed Panels



Fixed 135° Post with
Fixed Panels

Description Horizontal Section
Typical Fixed Post Examples

Detail SF55-30

No.
System SF55

B